Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.11.2025 Revision date: 14.11.2025

1 Identification

Product Name: Nasahi Base sealer

Other Means of Identification: Mixture

Details of Manufacturer or Importer:
AAC Building Products T/A Nasahi
1331 Stud Road
Rowville VIC 3178

Phone Number: 1300 262 724

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:
Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).
Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

GHS05 Corrosion

Skin corrosion/irritation – Category 1B	H314 Causes severe skin burns and eye damage.
Eye damage/irritation – Category 1	H318 Causes serious eye damage.

Signal Word Danger

Hazard Statements
H314 Causes severe skin burns and eye damage.

Precautionary Statements

P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P280	Wear eye protection / face protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet
according to WHS & OHS Regulations

Print date: 18.11.2025 Revision date: 14.11.2025

Product Name: Nasahi Base sealer

(Contd. of page 1)

Hazardous Components:		
CAS: 465527-59-7	Triethoxy(2,4,4-trimethylpentl) Skin corrosion/irritation – Category 1B, H314	55-65%
CAS: 111-57-9	Stearylaminoxethylate Eye damage/irritation – Category 1, H318; Aquatic Chronic 2, H411; Skin corrosion/irritation – Category 2, H315	0-0.5%
CAS: 3013-94-3	Ethanesulfonic acid, 2-[2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]ethoxy]-, sodium salt Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319	0-0.5%

4 First Aid Measures

Inhalation:
If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:
In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:
In case of eye contact, rinse with plenty of clean water for at least 20 to 30 minutes. Seek medical attention if irritation persists.

Ingestion:
If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use chemical dry powder, carbon dioxide.

Specific Hazards Arising from the Chemical:
No hazardous decomposition products known.
Product is not flammable
Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.
Prevent run-off from fire fighting entering drains or water courses.
HAZCHEM Code: 2X

Special Protective Equipment and Precautions for Fire Fighters:
When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:
Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.
Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.
Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:
In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:
Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.
Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

(Contd. on page 3)

Safety Data Sheet
according to WHS & OHS Regulations

Print date: 18.11.2025 Revision date: 14.11.2025

Product Name: Nasahi Base sealer

(Contd. of page 2)

7 Handling and Storage

Precautions for Safe Handling:
Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.
Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:
Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents and acids.

8 Exposure Controls and Personal Protection

Exposure Standards:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls:

Respiratory Protection:
Where an inhalation risk exists, wear an approved dust/particulate filter respirator. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:
Protective gloves and protective clothing. See Australian Standards AS/NZS 2161, 2210.1 and 2210.2 for more information.

Eye and Face Protection:
Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	According to product specification
Odour:	No information available
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	Not applicable
Flammability	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density:	Not determined.
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	No information available
Partition Coefficient (n-octanol/water):	No information available

(Contd. on page 4)

Safety Data Sheet
according to WHS & OHS Regulations

Print date: 18.11.2025 Revision date: 14.11.2025

Product Name: Nasahi Base sealer

(Contd. of page 3)

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products: No hazardous decomposition products known.

11 Toxicological Information

Toxicity:

Acute Health Effects
Inhalation: May cause respiratory irritation.
Skin: Causes severe skin burns.
Eye: Causes serious eye damage.
Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: Based on classification principles, the classification criteria are not met.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:
Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:
Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:
The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

(Contd. on page 5)

Safety Data Sheet
according to WHS & OHS Regulations

Print date: 18.11.2025 Revision date: 14.11.2025

Product Name: Nasahi Base sealer

(Contd. of page 4)

Special Precautions for Landfill or Incineration:
Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number
ADG, IMDG, IATA UN1760

Proper Shipping Name
ADG 1760 CORROSIVE LIQUID, N.O.S. (Triethoxy(2,4,4-trimethylpentl))
IMDG, IATA CORROSIVE LIQUID, N.O.S. (Triethoxy(2,4,4-trimethylpentl))

Dangerous Goods Class
ADG Class: 8

Packing Group:
ADG, IMDG, IATA II

EMS Number: F-A,S-B

Hazchem Code: 2X

Special Provisions: 274

Excepted quantities (EQ): E2

Limited Quantities: 1L

Packagings & IBCs - Packing Instruction: P001, IBC02

Portable Tanks & Bulk Containers - Instructions: T11

Portable Tanks & Bulk Containers - Special Provisions: TP2, TP27

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:
Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 14.11.2025

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:
ADG: Australian Dangerous Goods
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
IARC: International Agency for Research on Cancer
STEL: Short Term Exposure Limit
TWA: Time Weighted Average
NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)
Acute toxicity - oral – Category 4: Acute toxicity – Category 4
Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B
Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2
Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1
Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

(Contd. on page 6)

Safety Data Sheet

according to WHS & OHS Regulations

Print date: 18.11.2025 Revision date: 14.11.2025

Product Name: Nasahi Base sealer

(Contd. of page 5)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - June 2023”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AAC Building Products T/A Nasahi AAC makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.